

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by LRQA. Certificate Number. 10551915

Catalogue Number	A15732
Lot Number	10250239
Description	n-Octadecyltrichlorosilane, 95%, cont. 5-10% branched isomers
CAS Number	112-04-9
Quality Test/Release Date	16/Feb/2026
Suggested retest date	16/Feb/2028
Country of Origin	Great Britain
Declaration of Origin	Synthetic
BSE/TSE	Not directly derived from or manufactured with any animal byproducts in any way (including but not limited to fermentation or nutrient broth, catalysts, enzymes).

Result Name	Units	Specifications	Test Value
Assay (GC)	%	≥84.5% (main component)	92.2
Assay (GC)	%	=94.0% (sum of isomers)	98.1
Appearance (Color)		Colorless to pale yellow to yellow-brown or pale brown	Pale brown
Form		Clear to slightly hazy liquid	Clear liquid
Identification (FTIR)		Conforms	Conforms
Refractive Index		1.4570-1.4630 @ 20°C	1.4598



Paul Coleman
Site Quality Manager

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.