

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Catalogue Number	46664
Lot Number	A0470993
Description	Genipin
CAS Number	6902-77-8
Quality Test/Release Date	26/Mar/2025
Suggested retest date	26/Mar/2030
Country of Origin	CHINA
Declaration of Origin	plant
BSE/TSE	extracted from Genipa

Result Name	Units	Specifications	Test Value
Appearance (Color)		White to beige	Beige
Appearance (Form)		Powder	Powder
Infrared spectrum		Conforms	Conforms
Melting point		118.0°C to 123.0°C	118.0°C
HPLC	%	>=98.0	99.9
Water	%	=<1.0	0.3



Geert Torfs
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.