

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Catalogue Number	22983
Lot Number	A0467928
Description	Rosolic acid
CAS Number	603-45-2
Quality Test/Release Date	05/Dec/2024
Suggested retest date	05/Dec/2029
Country of Origin	INDIA
Declaration of Origin	synthetic

Result Name	Units	Specifications	Test Value
Appearance (Color)		Red-brown to brown	Red-brown
Appearance (Form)		Crystalline powder	Crystalline powder
Infrared spectrum		Conforms	Conforms
Loss on drying	%	=<10 (110°C, 1 h)	2.3 (110°C, 1 h)
Visual transition interval		from pH 6.2 (yellow) to pH 8.2 (red-pink)	from pH 6.2 (yellow) to pH 8.2 (red-pink)
UV Lambda max	nm	480 to 486 (in ethanol + 2ml 1N HCl)	484.4 (in ethanol + 2ml 1N HCl)



Geert Torfs
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.