

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by INTERTEK SAI Global
Certificate Number. QMS42099

Catalogue Number	042880
Lot Number	2543811
Description	Acetonitrile, HPLC Grade, (Far UV), 99.8+% For analysis
CAS Number	75-05-8
Quality Test/Release Date	08/Jul/2025
Expiry Phrase	Use within 5 yrs opening
Country of Origin	China

Result Name	Units	Specifications	Test Value
Absorbance @ 190 nm	A.U.	<= 1	0.709
Absorbance @ 195 nm	A.U.	<= 0.15	0.102
Absorbance @ 200 nm	A.U.	<= 0.07	0.044
Absorbance @ 210 nm	A.U.	<= 0.04	0.021
Absorbance @ 220 nm	A.U.	<= 0.02	0.01
Absorbance @ 254 nm	A.U.	<= 0.01	0
Assay (GC)	%	>= 99.8	100.00
Chemical form		Mobile liquid	Mobile liquid
Free acid	%	<= 0.001	0.00012
Residual water	%	<= 0.02	0.01
Residue after evaporation (%)	%	<= 0.001	None Detected
Visual colour		Clear colourless	Clear colourless



Ashok Ganatra
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.