

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Catalogue Number	42010
Lot Number	A0468789
Description	Tetrabutylammonium hydrogen sulfate,99%,for HPLC
CAS Number	32503-27-8
Quality Test/Release Date	08/Jan/2025
Suggested retest date	08/Jan/2030
Country of Origin	INDIA
Declaration of Origin	synthetic

Result Name	Units	Specifications	Test Value
Appearance (Color)		Colorless to white	White
Appearance (Form)		Powder or crystals	Powder
Infrared spectrum		Conforms	Conforms
Titration with NaOH	%	>=98.5	99.7
UV		at 210 nm A: <=0.06	at 210 nm A:0.0335
UV		at 220 nm A: <=0.06	at 220 nm A:0.0129
UV		at 230 nm A: <=0.05	at 230 nm A:0.0088
UV		at 250 nm A: <=0.02	at 250 nm A:0.006
UV		at 260 nm A: <=0.02	at 260 nm A:0.006
UV		(10 % in water)	(10 % in water)
Suitability		(HPLC gradient) Passes test	(HPLC gradient) Passes test
Membrane filtration test		(10 % in water) Passes test	(10 % in water) Passes test



Geert Torfs
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.