

Thermo Fisher Scientific Ward Hill, MA-Sites

 30 Bond Street
 220 Neck Road
 38 Shelley Road

 Ward Hill
 Ward Hill
 Ward Hill

 MA 01835
 MA 01835
 MA 01835

## **CERTIFICATE OF ANALYSIS**

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.

Certificate Number. 951001163

Catalogue Number 033295 Lot Number S09L014

Description Calcium carbonate, ACS, 99.0% min

CAS Number 471-34-1
Quality Test/Release Date 09/Jun/2025
Suggested retest date 09/Jun/2030
Country of Origin India

Result Name	Units	Specifications	Test Value	
Assay (unspecified)	%	99.0% CaCO₃ min	100.10	
Heavy Metals	ppm	(ICP-OES) 0.001%	<10	
Impurity content	ppm	Sr 0.1%	<1000	
Impurity content	ppm	SO <sub>4</sub> 0.01%	<100	
Impurity content	ppm	Na 0.1%	<1000	
Impurity content	ppm	NH <sub>4</sub> 0.003%	<30	
Impurity content	ppm	Mg 0.02%	<200	
Impurity content	ppm	K 0.01%	<100	
Impurity content	%	Insoluble in dilute hydrochloric acid 0.006		
Impurity content	ppm	Fe 0.003%	<30	
Impurity content	%	F 0.0015%	<0.0015	
Impurity content	ppm	CI 0.001%	<10	
Impurity content	ppm	Ba 0.01%	<100	

John Astarita

John Astarita Director, Quality

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.