

## CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek Global Certificate Number. CERT-0120633

Catalogue Number	40682
Lot Number	B0549294A
Description	1,2-DICHLOROETHANE REAGENT, ACS
CAS Number	107-06-2
Quality Test/Release Date	10/Jun/2025
Suggested retest date	09/Jun/2030
Country of Origin	United States

Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	Clear liquid
ASSAY	%	>= 99.0	>99.0
COLOR	APHA	<= 10	<5
DENSITY AT 25 DEGREES C	GM/ML	Inclusive Between 1.241 - 1.251	1.245
EVAPORATION RESIDUE	%	<= 0.002	<0.001
IDENTIFICATION	PASS/FAIL	IN PASS TEST	PASS TEST
TITRATABLE ACID	MEQ/G	<= 0.0003	0.0001
WATER (H2O)	%	<= 0.03	0.01



Matthew Micek  
QC Supervisor

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.