

## CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.  
 Certificate Number. 951001163

Catalogue Number	087963
Lot Number	Q24M020
Description	Perchloric acid, ACS, 69.0-72.0%, redistilled
CAS Number	7601-90-3
Quality Test/Release Date	24/Apr/2026
Suggested retest date	24/Apr/2031
Country of Origin	United States

Result Name	Units	Specifications	Test Value
Color (APHA)	APHA	10	<10
Assay (unspecified)	%	69.0-72.0% HClO <sub>4</sub>	69.7
Residue on ignition	%	0.003%	<0.001
Impurity content	%	Cl 0.001%	<0.001
Impurity content	ppb	Fe 1ppm	1
Impurity content	%	Nitrogen compounds (as N) 0.001%	<0.001
Impurity content	%	Silicate and phosphate (as SiO <sub>2</sub> ) 5ppm	<0.0005
Impurity content	%	SO <sub>4</sub> 0.001%	<0.0003



Derek Roy  
 Quality Manager, LCD

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.