

Thermo Fisher Scientific Ward Hill, MA-Sites

 30 Bond Street
 220 Neck Road
 38 Shelley Road

 Ward Hill
 Ward Hill
 Ward Hill

 MA 01835
 MA 01835
 MA 01835

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.

Certificate Number. 951001163

Catalogue Number	043182
Lot Number	S17L026

Description Chromium(III) nitrate nonahydrate, 99.99% min (metals basis)

CAS Number 7789-02-8
Quality Test/Release Date 17/Jun/2025
Suggested retest date 17/Jun/2030
Country of Origin United States

Result Name	Units	Specifications	Test Value
Assay (special)	%	±2.5 % of Theoretical value (Cr)	12.8
Appearance (Color)		Violet	Violet
Form		Crystals	Crystals
Total Metal Impurities	ppm	≤0.01% (100 ppm)	71

John Astarita
John Astarita
Director, Quality

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above