

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek Global
Certificate Number: CERT-0120633

Catalogue Number	BP2648
Lot Number	262707
Description	CARBENICILLIN, DISODIUM
CAS Number	4800-94-6
Quality Test/Release Date	16/Jun/2026
Expiration Date	31/May/2028
Country of Origin	China
Declaration of Origin	Organic - non animal
BSE/TSE	No animal products are used as starting raw materials or in the processing of this chemical, including lubricants, processing aids, or any other material that might migrate to the finished product.

Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	White powder.
IDENTIFICATION	PASS/FAIL	IN PASS TEST	PASS TEST
PH 5% SOLUTION @ 25 DEG C		Inclusive Between 6.5 - 8.0	6.6
POTENCY (ASSAY)	UG/MG	>= 770	910
WATER (H2O)	%	<= 6.0	3.0



Ash Frey
Supervisor, Quality Control

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.