

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Catalogue Number	44705
Lot Number	A0468882
Description	n-Butyl acetate,99.5%,for biochemistry,AcroSeal®
CAS Number	123-86-4
Quality Test/Release Date	16/Jan/2025
Suggested retest date	16/Jan/2028
Country of Origin	UNITED KINGDOM
Declaration of Origin	synthetic

Result Name	Units	Specifications	Test Value
Appearance (Color)		Clear colorless	Clear colorless
Appearance (Form)		Liquid	Liquid
Color scale	APHA	≤15	10
Infrared spectrum		Conforms	Conforms
GC	%	≥99.4	99.9
Water	%	≤0.1	0.05
Residue after evaporation	%	≤0.01	≤0.0003
UV		at 254 nm A: ≤1	at 254 nm A:0.678
UV		at 256 nm A: ≤0.5	at 256 nm A:0.392
UV		at 260 nm A: ≤0.2	at 260 nm A:0.15
UV		at 275 nm A: ≤0.05	at 275 nm A:0.037
UV		at 300 nm A: ≤0.03	at 300 nm A:0.008
UV		at 320 nm A: ≤0.01	at 320 nm A:0.004
UV		at 400 nm A: ≤0.01	at 400 nm A:0.001
Heavy metals (as Pb)	%	≤0.001	≤0.001

Geert Torfs
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.