

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.
Certificate Number. 951001163

Catalogue Number	J64322
Lot Number	T08L006
Description	Citric acid, Electrophoresis Grade, 99.5+%
CAS Number	77-92-9
Quality Test/Release Date	08/Jul/2025
Suggested retest date	08/Jul/2030
Country of Origin	United States

Result Name	Units	Specifications	Test Value
Assay (unspecified)	%	≥ 99.5%	100.1
Clarity		Clarity and color of the solution: Passes test	Passes test
Appearance (Color)		White	White
Elemental Analysis	%	Chloride: ≤ 0.001%	<0.001
Elemental Analysis	ppm	Iron: ≤ 3 ppm	1
Elemental Analysis	%	Oxalate: ≤ 0.05%	<0.05
Elemental Analysis	%	Phosphate: ≤ 0.001%	<0.001
Elemental Analysis	%	Sulfate: ≤ 0.002%	<0.002
Form		Powder or crystals or crystalline powder	Crystals
Heavy Metals	ppm	≤ 2 ppm as lead	1
Residue on ignition	%	≤ 0.02%	0.004



John Astarita
Director, Quality

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.