

**CERTIFICATE OF ANALYSIS**

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.  
Certificate Number. 951001163

Catalogue Number J63702  
Lot Number Q18L017  
Description Dextran, MW ca 500,000  
CAS Number 9004-54-0  
Quality Test/Release Date 18/Apr/2025  
Suggested retest date 18/Apr/2030  
Country of Origin Canada

Result Name	Units	Specifications	Test Value
Ash	%	≤2.0%	0.1
Appearance (Color)		White to pale cream	White to pale cream
Form		Powder	Powder
Loss on Drying	%	≤7.0%	5.9
Optical Rotation	°	+195 to +203° (2% solution in water)	+196
pH		4.5 to 7.0 (6% solution in water)	4.8
Solution Test		Color of solution at A375nm: ≤0.15 OD (6% solution in water)	0.03
Solution Test		Cold water solubility: soluble in 1%	Passes test
Viscosity		0.56 to 0.70 at 37°C (1% solution in water)	0.60

*John Astarita*

John Astarita  
Director, Quality

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.