

Fisher Scientific UK Ltd. 755 US Highway Bridgewater, NJ 08807 202, United States of America

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek Global Certificate Number. CERT-0120633

Catalogue Number	14793		
Lot Number	B0549300B		
Description	FORMIC ACID, 98+%		
CAS Number	64-18-6		
Quality Test/Release Date	24/Jul/2025		
Suggested retest date	30/Jun/2030		
Country of Origin	United States		
Declaration of Origin	Organic - synthetic		
BSE/TSE	No animal products are used as starting raw material ingredients, or used in processing, including lubricants, processing aids, or any other material that might migrate to the finished product.		
Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	Clear liquid
ASSAY	%	>= 98.0	>98.0
COLOR	APHA	<= 20	5
INFRARED SCAN	CONFORMS	IN CONFORMS TO REF	CONFORMS TO REF
REFRACTIVE INDEX @ 20 DEG C		Inclusive Between 1.3701 - 1.	3721 1.3712

The Oli-

Matthew Micek QC Supervisior

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.