

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek Global
Certificate Number: CERT-0120633

Catalogue Number	SP65
Lot Number	253133
Description	PHENYLARSINE OXIDE SOLUTION, 0.025N
CAS Number	637-03-6
Quality Test/Release Date	16/Jul/2025
Suggested retest date	30/Jun/2026
Country of Origin	United States

Result Name	Units	Specifications	Test Value
APPEARANCE		REPORT	Slight yellow clear solution
IDENTIFICATION	PASS/FAIL	= PASS TEST	PASS TEST
NORMALITY		Inclusive Between 0.024 - 0.026	0.026
PH AT 25 DEGREES C		Inclusive Between 6 - 7	7.0



Matthew Micek
QC Supervisor

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research use or further manufacturing. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.