

## CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Catalogue Number	16781
Lot Number	A0444290
Description	Ethyl acetate,99.5+%,for spectroscopy
CAS Number	141-78-6
Quality Test/Release Date	18/Jan/2025
Suggested retest date	18/Jan/2030
Country of Origin	CZECH REP.
Declaration of Origin	synthetic

Result Name	Units	Specifications	Test Value
Appearance (Form)		Clear liquid	Clear liquid
Color scale	APHA	=<10	10 Conforms
GC	%	>=99.50	99.96
Water	%	=<0.05	0.013
UV		at 255 nm A: =<1	at 255 nm A:0.526
UV		at 275 nm A: =<0.05	at 275 nm A:0.018
UV		at 300 nm A: =<0.03	at 300 nm A:0.007
UV		at 325 nm A: =<0.01	at 325 nm
Residue after evaporation	%	=<0.0003	=<0.0003



Geert Torfs  
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.