

## CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Catalogue Number	17539		
Lot Number	A0458352		
Description	Styrene-d8, for NMR, 98+ atom% D, stabilized		
CAS Number	19361-62-7		
Quality Test/Release Date	07/Jun/2026		
Suggested retest date	07/Jun/2031		
Country of Origin	SWITZERLAND		
Declaration of Origin	synthetic		
BSE/TSE	Not directly derived from or manufactured with any animal byproducts in any way (Including but not limited to fermentation or nutrient broth, catalysts, enzymes).		
<b>Result Name</b>	<b>Units</b>	<b>Specifications</b>	<b>Test Value</b>
Appearance (Color)		Clear colorless to light yellow	Clear slight yellowish
Appearance (Form)		Liquid	Liquid
D-Enrichment	%	>=98.0	99.6
Water	%	=<0.05 (Coulometric)	0.019 (Coulometric)
Stabilizer	%	0.5 4-tert-Butylcatechol	0.5 4-tert-Butylcatechol

Geert Torfs  
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.