

CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by Intertek. Certificate Number. 2317548

Catalogue Number	16501
Lot Number	A0479955
Description	Methyl myristate,99%
CAS Number	124-10-7
Quality Test/Release Date	28/Jan/2026
Suggested retest date	28/Jan/2029
Country of Origin	UNITED STATES OF AMERICA
Declaration of Origin	plant
BSE/TSE	manufactured from several Plants like Coconut, nutmeg, etc

Result Name	Units	Specifications	Test Value
Appearance (Color)		Clear colorless to yellow	Clear colorless
Appearance (Form)		Liquid	Liquid
Infrared spectrum		Conforms	Conforms
GC	%	>=98.5	99.9
Refractive index		1.4340 to 1.4380 (20°C, 589 nm)	1.4371 (20°C, 589 nm)
Density	g/ml	(20/4°C) 0.853 to 0.873	(20/4°C) 0.861
Acid value	mg KOH/g	=<1	=<1

Geert Torfs
Supervisor, QC

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.