


CERTIFICATE OF ANALYSIS

Thermo Fisher Scientific's Quality System has been found to conform to Quality Management System Standard ISO9001:2015 by TUV SUD America Inc.  
Certificate Number. 951001163

Catalogue Number                      L09585  
Lot Number                                R20I006  
Description                                Triisopropylsilane, 98%  
CAS Number                               6485-79-6  
Quality Test/Release Date            11/Aug/2025  
Suggested retest date                   11/Aug/2026  
Country of Origin                        Germany

| Result Name         | Units | Specifications               | Test Value      |
|---------------------|-------|------------------------------|-----------------|
| Appearance (Color)  |       | Clear colorless              | Clear colorless |
| Form                |       | Liquid                       | Liquid          |
| Assay (unspecified) | %     | ≥97.5% (US-sourced material) | 99.5            |



Luis Perez  
Interim Director Quality, LCD

Products are processed under ISO 9001:2015 quality management systems and samples are tested for conformance to the noted specifications. Certain data may have been supplied by third parties. We disclaim the implied warranties of merchantability and fitness for a particular purpose, and the accuracy of third-party data or information associated with the product. Products are for research and development use only. Products are not for direct administration to humans or animals. It is the responsibility of the final formulator or end user to determine suitability, and to qualify and/or validate each product for its intended use.

Note: The data listed is valid for all package sizes of this lot of this product, expressed as an extension of the catalogue number listed above.